

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (previously presented) A system comprising:
  - a. a television, including a video display, a first analog input jack, a first digital communication jack, a second analog input jack, a second digital communication jack and a digital interface, wherein the digital interface further comprises a look-up table including a plurality of device-identification fields and a corresponding plurality of analog-input identification fields;
  - b. a first video source connected to the first analog input jack via a first analog channel and to the first digital communication jack via a first digital channel;
  - c. a second video source connected to the second analog input jack via a second analog channel and to the second digital communication jack via a second digital channel; and
  - d. a video selection circuit having a first analog input connected to the first analog input jack, a second analog input connected to the second analog input jack, and an input-select port, wherein the input-select port is coupled to the digital interface.

Claims 2 and 3 (canceled).

4. (previously presented) The system of claim 1, wherein the digital interface further comprises a digital communication port connected to the first digital communication jack.
5. (original) The system of claim 4, wherein the digital interface is adapted to instruct the video selection circuit in response to commands received via the first digital communication jack.

Claims 6 and 7 (canceled).

8. (previously presented) The system of claim 1, wherein a first of the device identification fields includes a first unique identifier identifying the first video source and a first of the analog-input identification fields corresponding to the first device identification field includes a first plug identifier identifying the first analog input jack.
9. (original) The system of claim 8, wherein a second of the device identification fields includes a second unique identifier identifying the second video source and a second of the analog-input identification fields corresponding to the second device identification field includes a second plug identifier identifying the second analog input jack.
10. (previously presented) A system comprising:
  - a. a first signal source having a first analog-signal port, a first digital-signal port, and a first unique signal-source identifier; and
  - b. a receiver having:
    - i. a first analog input channel connected to the first analog-signal port, wherein the first analog input channel has associated therewith a first unique analog-input-channel identifier;
    - ii. a second analog input channel, wherein the second analog input channel has associated therewith a second unique analog-input-channel identifier; and
    - iii. memory having a first device field storing the first unique signal-source identifier and a first analog-plug identification field associated with the first device field and adapted to store the first unique analog-input-channel identifier;
    - iv. wherein the receiver associates the first device field with the first analog input channel and the first unique analog-input-channel identifier.
11. (original) The system of claim 10, further comprising a second signal source having a second analog-signal port, a second digital-signal port, and a second unique signal-source identifier.
12. (original) The system of claim 11, the memory having a second device field storing the second unique signal-source identifier, wherein the receiver associates the second device field with the second analog input channel.

Claims 13-16 (canceled).

17. (original) The system of claim 10, wherein the analog and digital signals comprise video signals.
18. (original) The system of claim 10, wherein the memory is a lookup table.

Claims 19-33 (canceled).